



October 10, 2013

W. Russell Kestle, Jr. PG
Remedial Project Manager
Superfund Division, Region 4
U. S. Environmental Protection Agency
61 Forsyth Street SW
Atlanta GA 30303-8909

VIA EMAIL

Subject: **September 2013 Monthly Progress Report**

Dear Mr. Kestle:

On behalf of Beazer East, Inc. (Beazer), attached is the September 2013 Monthly Progress Report for the Cabot/Koppers Superfund Site in Gainesville, Florida. If you have any questions or comments, please contact me.

Sincerely,

A handwritten signature in blue ink, appearing to read "Gregory W. Council".

Gregory W. Council, P.E.
Principal Engineer

cc: Scott Miller, EPA
Kelsey Helton, FDEP
John Mousa, ACEPD
Rick Hutton, GRU
Carrie McCoy, Black & Veatch
John Herbert, GeoHydro Consultants
Patricia Cline, Community Technical Advisor
Linda Paul, Koppers, Inc.
Mitchell Brourman, TRMI
Mike Slenska, TRMI
Donna Kopach, TRMI
Jim Erickson, Tetra Tech

September 2013
MONTHLY PROGRESS REPORT
Cabot/Koppers Superfund Site
Gainesville, Florida

1. Compliance Actions:

- Beazer's Operation and Maintenance (O&M) Contractor performed routine treatment plant O&M services for the groundwater extraction and pretreatment system.
- Remedial Design activities are presently being conducted.

2. Sampling/Test Results and Data:

- Instantaneous flow rates and totalizer volumes were measured in each extraction well.
- The bi-weekly passive NAPL recovery program continues at Upper Hawthorn monitoring wells: 2.8 gallons of NAPL were removed from Upper Hawthorn wells during the past month (2 recovery events). A total of 549.21 gallons have been bailed or pumped since the start of the NAPL recovery program on June 19, 2004. The attached table provides details of the NAPL recovery volumes by well and date.
- In addition, NAPL was removed from 11 temporary injection points installed in the Former Process Area as part of the In-Situ Geochemical Stabilization (ISGS) program. This is a pilot demonstration for full scale design. Two NAPL recovery events were conducted during the month, resulting in 112.6 gallons removed.
- Also, NAPL was removed from six newly-installed recovery wells installed in the Former Process Area as part of the ISGS program (one in the surficial aquifer and five in the Upper Hawthorn). Two NAPL recovery events were conducted during the month, resulting in 59.3 gallons removed.
- A total of 4,349,977 gallons of groundwater were recovered by the Surficial Aquifer drains and extraction well system during the past month (system run time of 720 hours). The average recovery rate for the month was approximately 100.7 gallons per minute (gpm). The recovery for each component is listed below.
 - Surficial Aquifer
 - Perimeter Extraction Wells: 637,795 gallons
 - Former North Lagoon Drain: 505,090 gallons
 - Former Drip Track Drain: 554,390 gallons
 - Former Process Area Drain: 486,730 gallons
 - Former South Lagoon Drain: 490,240 gallons
 - Upper Floridan Extraction Wells
 - FW-6: 23,691 gallons
 - FW-21B: 91,623 gallons
 - FW-31BE: 1,000,280 gallons
 - FW-32BE: 560,138 gallons

Approximately 312.8 million gallons have been recovered from the Surficial Aquifer extraction wells and four drains since the start of the Surficial Aquifer containment system in January 1995. (Note: for progress reports from September 2012 through August 2013, this reported total inadvertently included the volume of water that was also recovered from the Upper Floridan Aquifer wells. The 312.8 million gallons included in this report has been corrected to only include the volume recovered from the Surficial Aquifer since January 1995.)

For the month, the total volume of water treated and discharged to the GRU wastewater system was 2,674,245 gallons. The remaining portion of the water, from Upper Floridan Aquifer wells, was treated and used for irrigation.

The Former South Lagoon and Former Process Area groundwater drain pumps were turned off for approximately 8 hours to pump and clean clarifiers and to treat backwash water. All drain pumps are set at the lowest possible positions in sumps.

3. Plans, Reports, Deliverables and Procedures Completed:

- *Remedial Action Work Plan* (RAWP) submitted September 20, 2013.
- Surveying at properties in the Stephen Foster Neighborhood
- Periodic maintenance checks and inspections.
- Treatment-plant component maintenance and repair as needed.
- Irrigation-system carbon breakthrough sample collection for VOCs and SVOCs.
- Third quarter TSE composite sampling for total metals completed September 17, 2013.
- EW-8 flow meter rebuilt and pump replaced.
- New TSE totalizer readout installed and programmed.
- Oil separator installed on treatment plant air compressor.
- 61 drums of PPE spent filters, plastic, groundwater treatment sludge, DNAPL and water, and spent carbon disposed.
- On-property irrigation using treated groundwater from FW-6, FW-21B, FW-31BE, and FW-32BE.
- Status meeting held between Beazer and EPA on September 26, 2013.

4. Upcoming Actions:

- Continuation of surveying activities in the Stephen Foster neighborhood (physical features, topography, and landscaping).
- Preparation of a pilot plan (including supporting plans) to execute off-Property soil restoration at one of the properties in the Stephen Foster Neighborhood.
- Implementation of the pilot plan for off-Property soil replacement (one residential property) after EPA approval.
- Coordination with EPA for access agreements at nearby properties in need of surveying or soil sampling.
- Interviews of Stephen Foster neighborhood property owners and residents.
- NAPL collection at Upper Hawthorn monitoring wells: bi-weekly.
- NAPL collection at temporary Upper Hawthorn ISGS injection points: bi-weekly.
- Fourth quarter groundwater sampling event: planned for December 2-6, 2013.
- Routine inspection, operation, maintenance, and monitoring.

5. Schedule Status:

- A remedial design schedule was developed as part of the RDWP, submitted on September 20, 2013.

- The current remedial design schedule is attached.
- No delays were encountered during the reporting period.

6. Plan/Schedule Modifications:

- Minor schedule modifications were made to the schedule submitted with the RDWP.
- The pilot schedule was amended to include preparation of a pilot plan for soil restoration at one property in the Stephen Foster neighborhood.

7. Community Involvement:

- Beazer participated in, and presented a status update at, the September 5 Gainesville City Commission meeting.
- Beazer's RD/RA supervising contractor Tetra Tech appointed Kate Libby as local Community Coordinator. Kate has contacted several residents in the Stephen Foster neighborhood.
- Beazer contractors will participate in a forthcoming community workshop on Florida-Friendly landscaping that is being organized by the City of Gainesville: scheduled for October 26.
- Future community involvement activities will be coordinated with EPA.

Hawthorn Group Passive NAPL Recovery (Page 1 of 5)

Well	HG-9S		HG-10S		HG-10D		HG-11S		HG-12S		HG-12D		HG-15S		HG-16S		HG-16D		FW-6		Total Vol. removed (gal)
	Date	Thickness (ft)	Vol. Removed (gal)																		
6/19/2004	0.25		2.42		0.17		2.74		1.04		1.13		NM		1.08		NM		NM		-
7/7/2004	0.4		3.25		Stain		2.44		Stain		Stain		ND		0.75		ND		ND		-
7/20/2004	NM	0.1	3.24	0.8	ND	0	3.08	0.8	1.74	0.2	NM	Trace	NM	NM	1.74	0.1	NM	NM	NM	NM	2
8/3/2004	ND	0	3.29	0.3	ND	0	2.78	0.3	2.39	Trace	ND	0	ND	0	1.38	0.65	ND	0	ND	0	1.25
8/10/2004	ND	Trace	1.2	0.3	ND	0	2.69	0.4	2.25	0.5	NM	0	ND	0	0.5	0.2	ND	0	ND	0	1.4
8/17/2004	NM	0	3.03	0.7	NM	0	3.16	0.8	2.37	0.6	NM	0	ND	0	1.4	0.6	ND	0	ND	0	2.7
8/24/2004	NM	0	3.01	0.6	NM	Trace	1.27	0.4	0.39	0.3	NM	Trace	ND	0	1.24	0.3	ND	0	ND	0	1.6
8/31/2004	ND	0	2.87	0.2	ND	0	1.36	0.1	1.32	0.1	ND	0	ND	0	0.1	ND	0	ND	0	0.5	
9/8/2004	NM	0	2.09	0.6	NM	0	2.03	0.5	1.38	0.5	NM	0	ND	0	0	ND	0	ND	0	1.6	
9/14/2004	ND	0	3.21	0.5	NM	0	0.61	0.1	2.49	0.4	MN	0	1.94	0.3	1.9	0.3	ND	0	ND	0	1.6
9/21/2004	NM	0	2.76	0.6	NM	0	0.5	0.1	0.68	0.1	ND	0	NM	0	2.24	0.1	ND	0	ND	0	0.9
9/28/2004	ND	0	2.64	0.5	ND	0	1.88	0.2	1.15	0.2	NM	0	0.82	0.1	NM	0	ND	0	ND	0	1
10/5/2004	ND	0	4.85	0.8	Stain	0	1.3	0.25	1.6	0.3	ND	0	0.37	0.06	2.09	0.3	ND	0	ND	0	1.71
10/12/2004	ND	0	3.46	0.4	ND	0	3.12	0.4	1.88	0.3	ND	0	1.97	0.1	Stain	0.1	ND	0	ND	0	1.3
10/20/2004	ND	0	2.33	0.4	ND	0	2.58	0.4	1.27	0.2	ND	0	1.4	0.2	Stain	0.1	ND	0	ND	0	1.3
10/26/2004	ND	0	3.65	0.6	ND	0	3.94	0.6	1.89	0.3	ND	0	2.37	0.4	3.48	0.6	ND	0	ND	0	2.5
11/2/2004	ND	0	2.8	0.5	ND	0	3	0.5	2.4	0.4	ND	0	1.07	0.2	2.15	0.3	ND	0	ND	0	1.9
11/9/2004	ND	0	2.74	0.5	ND	0	2.16	0.4	2.51	0.4	ND	0	1.69	0.3	1.26	0.2	ND	0	ND	0	1.8
11/16/2004	ND	0	2.57	0.4	ND	0	2.38	0.4	1.37	0.2	ND	0	0.5	0.1	1.11	0.2	ND	0	ND	0	1.3
11/23/2004	Stain	0	3.16	0.5	Slt. Stain	0	3.23	0.5	1.86	0.3	ND	0	1.4	0.2	1.85	0.3	ND	0	ND	0	1.8
11/30/2004	ND	0	2.21	0.4	ND	0	3.77	0.6	2.2	0.4	ND	0	1.74	0.3	2.35	0.4	ND	0	ND	0	2.1
12/8/2004	ND	0	3.08	0.5	ND	0	3.24	0.5	1.8	0.3	ND	0	1.23	0.2	1.84	0.3	ND	0	ND	0	1.8
12/14/2004	ND	0	3.34	0.5	ND	0	3.92	0.6	2.16	0.3	ND	0	1.48	0.2	2.33	0.4	ND	0	ND	0	2
1/5/2005	ND	0	3.57	0.6	ND	0	5.51	0.9	2.8	0.4	ND	0	2.37	0.4	3.59	0.6	ND	0	ND	0	2.9
1/11/2005	ND	0	2.68	0.4	ND	0	3.41	0.6	1.82	0.3	ND	0	1.77	0.3	1.89	0.3	ND	0	ND	0	1.9
1/20/2005	ND	0	2.82	0.5	ND	0	3.03	0.5	1.63	0.3	ND	0	1.46	0.2	1.62	0.2	ND	0	ND	0	1.7
1/27/2005	ND	0	3.14	0.5	ND	0	3.73	0.6	2.04	0.3	ND	0	1.9	0.3	2.12	0.4	ND	0	ND	0	2.1
2/8/2005	ND	0	3.44	0.5	ND	0	4.77	0.8	2.57	0.4	ND	0	2.35	0.4	3.42	0.6	ND	0	ND	0	2.7
2/15/2005	ND	0	3.5	0.6	ND	0	5.38	0.9	2.85	0.5	ND	0	2.56	0.4	3.21	0.5	ND	0	ND	0	2.9
2/22/2005	ND	0	2.67	0.4	ND	0	3.69	0.6	2.05	0.3	ND	0	1.8	0.3	1.49	0.2	ND	0	ND	0	1.8
3/1/2005	ND	0	3.12	0.5	ND	0	4.43	0.7	2.45	0.4	ND	0	2.16	0.3	2.69	0.4	ND	0	ND	0	2.3
3/11/2005	ND	0	2.67	0.4	ND	0	3.48	0.6	1.9	0.3	ND	0	1.5	0.2	1.95	0.3	ND	0	ND	0	1.8
3/15/2005	ND	0	2.6	0.4	ND	0	3.57	0.6	1.87	0.3	ND	0	1.39	0.2	1.82	0.3	ND	0	ND	0	1.8
3/22/2005	ND	0	2.26	0.4	ND	0	3.5	0.6	2.06	0.3	ND	0	2.05	0.3	1.29	0.2	ND	0	ND	0	1.8
3/29/2005	ND	0	2	0.3	ND	0	2.38	0.4	2.1	0.3	ND	0	2.33	0.4	2.91	0.5	ND	0	ND	0	1.9
4/6/2005	ND	0	2.61	0.4	ND	0	2.74	0.4	1.4	0.2	ND	0	1.92	0.3	1.38	0.2	ND	0	ND	0	1.5
4/14/2005	ND	0	3.24	0.5	ND	0	3.29	0.5	1.37	0.2	ND	0	1.92	0.3	1.33	0.2	ND	0	ND	0	1.7
4/19/2005	ND	0	2.64	0.4	ND	0	3.34	0.5	1.75	0.3	ND	0	1.66	0.3	1.84	0.3	ND	0	ND	0	1.8
4/27/2005	ND	0	1.76	0.3	ND	0	1.98	0.3	1.59	0.3	ND	0	2.13	0.4	1.42	0.2	ND	0	ND	0	1.5
5/3/2005																					

Hawthorn Group Passive NAPL Recovery (Page 2 of 5)

Well	HG-9S		HG-10S		HG-10D		HG-11S		HG-12S		HG-12D		HG-15S		HG-16S		HG-16D		FW-6		Total Vol. removed (gal)
	Date	Thickness (ft)	Vol. Removed (gal)																		
10/4/2005	ND	0	0.97	0.2	ND	0	1.06	0.2	1.16	0.2	ND	0	1.24	0.2	1.14	0.2	ND	0	ND	0	1
10/11/2005	ND	0	1.17	0.2	ND	0	0.99	0.2	1.06	0.2	ND	0	1.14	0.2	1.22	0.2	ND	0	ND	0	1
10/25/2005	ND	0	1.21	0.2	ND	0	1.17	0.2	1.1	0.2	ND	0	1.32	0.2	1.34	0.2	ND	0	ND	0	1
11/8/2005	ND	0	1.4	0.2	ND	0	1.24	0.2	1.22	0.2	ND	0	1.34	0.2	1.37	0.2	ND	0	ND	0	1
11/30/2005	ND	0	1.42	0.2	ND	0	1.28	0.2	1.17	0.2	ND	0	1.4	0.2	1.45	0.2	ND	0	ND	0	1
12/14/2005	ND	0	1.43	0.2	ND	0	1.33	0.2	2.95	0.5	ND	0	1.53	0.2	1.39	0.2	ND	0	ND	0	1.3
1/3/2006	ND	0	1.59	0.3	ND	0	1.57	0.3	3.15	0.5	ND	0	1.7	0.3	1.5	0.2	ND	0	ND	0	1.6
1/19/2006	ND	0	3.76	0.6	stain	0	3.25	0.5	3.98	0.6	ND	0	3.01	0.5	2.85	0.5	ND	0	ND	0	2.7
2/10/2006	ND	0	3.01	0.5	ND	0	2.68	0.4	3.65	0.6	ND	0	2.8	0.5	2.59	0.4	ND	0	ND	0	2.4
2/23/2006	ND	0	3.08	0.5	ND	0	2.73	0.4	3.2	0.5	ND	0	2.84	0.5	2.68	0.4	ND	0	ND	0	2.3
3/7/2006	ND	0	2.61	0.4	ND	0	2.68	0.4	3.46	0.6	ND	0	2.02	0.3	2.49	0.4	ND	0	ND	0	2.1
3/21/2006	ND	0	2.46	0.4	ND	0	2.55	0.4	3.35	0.5	ND	0	1.74	0.3	2.22	0.4	ND	0	ND	0	2
4/4/2006	ND	0	2.26	0.4	ND	0	1.67	0.3	1.87	0.3	ND	0	2.3	0.4	2.23	0.4	ND	0	ND	0	1.8
4/18/2006	ND	0	2.15	0.4	ND	0	2.38	0.4	2.74	0.4	ND	0	2.34	0.4	2.48	0.4	ND	0	ND	0	2
5/3/2006	ND	0	2.01	0.3	ND	0	2.46	0.4	2.5	0.4	ND	0	2.34	0.4	2.99	0.5	ND	0	ND	0	2
5/17/2006	ND	0	5.64	0.9	ND	0	5.64	0.9	6	1	ND	0	6.74	1.1	5.82	0.9	ND	0	ND	0	4.8
5/30/2006	ND	0	3.12	0.5	ND	0	2.75	0.4	3.06	0.5	ND	0	2.43	0.4	2.45	0.4	ND	0	ND	0	2.2
6/15/2006	ND	0	3.27	0.5	ND	0	2.87	0.5	3.12	0.5	ND	0	2.58	0.4	2.59	0.4	ND	0	ND	0	2.3
6/27/2006	ND	0	2.8	0.5	ND	0	1.87	0.3	2.55	0.4	ND	0	2.34	0.4	1.99	0.3	ND	0	ND	0	1.9
7/13/2006	ND	0	2.96	0.5	ND	0	2.08	0.3	2.67	0.4	ND	0	2.5	0.4	2.23	0.4	ND	0	ND	0	2
7/25/2006	ND	0	3.07	0.5	ND	0	1.98	0.3	2.73	0.4	ND	0	2.6	0.4	2	0.3	ND	0	ND	0	1.9
8/8/2006	ND	0	2.26	0.4	ND	0	1.98	0.3	2.31	0.4	ND	0	2.01	0.3	2.05	0.3	ND	0	ND	0	1.7
8/22/2006	ND	0	2.11	0.3	ND	0	2.18	0.4	2.36	0.4	ND	0	2.28	0.4	2.31	0.4	ND	0	ND	0	1.9
9/5/2006	ND	0	2.26	0.4	ND	0	2.14	0.3	2.56	0.4	ND	0	2.46	0.4	2.43	0.4	ND	0	ND	0	1.9
9/19/2006	ND	0	2.47	0.4	ND	0	2.28	0.4	2.62	0.4	ND	0	2.66	0.4	2.49	0.4	ND	0	ND	0	2
10/3/2006	ND	0	2.51	0.4	ND	0	2.31	0.4	2.59	0.4	ND	0	2.7	0.4	2.62	0.4	ND	0	ND	0	2
10/17/2006	ND	0	2.56	0.4	ND	0	2.33	0.4	2.62	0.4	ND	0	2.71	0.4	2.54	0.4	ND	0	ND	0	2
10/31/2006	ND	0	2.41	0.4	ND	0	2.24	0.4	2.56	0.4	ND	0	2.64	0.4	2.49	0.4	ND	0	ND	0	2
11/14/2006	ND	0	2.57	0.4	ND	0	2.29	0.4	2.67	0.4	ND	0	2.7	0.4	2.54	0.4	ND	0	ND	0	2
11/28/2006	ND	0	1.92	0.3	ND	0	2.19	0.4	2.12	0.4	ND	0	2.52	0.4	2.23	0.4	ND	0	ND	0	1.9
12/12/2006	ND	0	1.97	0.3	ND	0	2.24	0.4	2.16	0.4	ND	0	2.54	0.4	2.26	0.4	ND	0	ND	0	1.9
12/27/2006	ND	0	2.1	0.3	ND	0	2.38	0.4	2.22	0.4	ND	0	2.6	0.4	2.24	0.4	ND	0	ND	0	1.9
1/10/2007	ND	0	2.31	0.4	ND	0	2.64	0.4	2.36	0.4	ND	0	2.75	0.4	2.34	0.4	ND	0	ND	0	2
1/23/2007	ND	0	2.37	0.4	ND	0	2.79	0.4	2.42	0.4	ND	0	2.71	0.4	2.4	0.4	ND	0	ND	0	2
2/6/2007	ND	0	2.42	0.4	ND	0	2.74	0.4	2.46	0.4	ND	0	2.65	0.4	2.46	0.4	ND	0	ND	0	2
2/20/2007	ND	0	2.48	0.4	ND	0	2.67	0.4	2.47	0.4	ND	0	2.56	0.4	2.49	0.4	ND	0	ND	0	2
3/6/2007	ND	0	2.52	0.4	ND	0	2.61	0.4	2.45	0.4	ND	0	2.65	0.4	2.54	0.4	ND	0	ND	0	2
3/20/2007	ND	0	2.31	0.4	ND	0	2.6	0.4	2.45	0.4	ND	0	2.53	0.4	2.47	0.4	ND	0	ND	0	2
4/3/2007	ND	0	2.42	0.4	ND	0	2.55	0.4	2.5	0.4											

Hawthorn Group Passive NAPL Recovery (Page 3 of 5)

Well	HG-9S		HG-10S		HG-10D		HG-11S		HG-12S		HG-12D		HG-15S		HG-16S		HG-16D		FW-6		Total Vol. removed (gal)
	Date	Thickness (ft)	Vol. Removed (gal)																		
3/4/2008	stain	0	NM	0	NM	0	4.27	0.7	3.24	0.5	ND	0	8.24	1.25	2.53	0.3	ND	0	ND	0	2.75
3/20/2008	stain	0	NM	0	NM	0	4.5	0.9	3.16	0.4	ND	0	8.51	1.25	2.35	0.4	ND	0	ND	0	2.95
4/1/2008	stain	0	NM	0	NM	0	4.04	0.6	2.93	0.5	ND	0	7.95	1.2	2.42	0.4	ND	0	ND	0	2.7
4/16/2008	stain	0	NM	0	NM	0	4.43	0.7	2.72	0.4	ND	0	8.04	1.2	1.95	0.4	ND	0	ND	0	2.7
4/29/2008	stain	0	NM	0	NM	0	4.27	0.75	2.57	0.4	ND	0	8.29	1.1	1.56	0.4	ND	0	ND	0	2.65
5/13/2008	stain	0	NM	0	NM	0	4	0.75	2.79	0.5	ND	0	8.1	1.2	1.79	0.3	ND	0	ND	0	2.75
5/27/2008	stain	0	NM	0	NM	0	3.98	0.9	2.58	0.4	ND	0	7.9	1.2	1.57	0.3	ND	0	ND	0	2.8
6/10/2008	stain	0	NM	0	NM	0	3.84	0.7	2.72	0.4	ND	0	7.94	1.2	1.43	0.4	ND	0	ND	0	2.7
6/24/2008	stain	0	NM	0	NM	0	3.91	0.6	2.52	0.4	ND	0	7.76	1.1	1.42	0.3	ND	0	ND	0	2.4
7/10/2008	stain	0	NM	0	NM	0	3.99	0.7	3.15	0.4	ND	0	7.73	1	1.89	0.4	ND	0	ND	0	2.5
7/24/2008	stain	0	NM	0	NM	0	5.39	0.9	3.26	0.5	ND	0	8.38	1.1	1.83	0.3	ND	0	ND	0	2.8
8/7/2008	stain	0	NM	0	NM	0	4.38	0.75	2.85	0.3	ND	0	8.38	1.1	1.44	0.4	ND	0	ND	0	2.55
8/19/2008	stain	0	NM	0	NM	0	3.76	0.7	2.83	0.4	ND	0	8.27	1.1	1.16	0.3	ND	0	ND	0	2.5
9/3/2008	stain	0	stain	0	stain	0	4.34	0.7	2.83	0.4	ND	0	8.35	1.1	1.26	0.25	ND	0	ND	0	2.45
9/16/2008	stain	0	stain	0	stain	0	3.98	0.75	2.79	0.4	ND	0	8.6	1	1.32	0.25	ND	0	ND	0	2.4
9/30/2008	stain	0	0.59	0.1	stain	0	3.9	0.7	3.03	0.3	ND	0	7.97	1.1	1.39	0.3	ND	0	ND	0	2.5
10/14/2008	stain	0	1.17	0.1	stain	0	4.04	0.75	2.68	0.4	ND	0	7.96	1.1	1.52	0.3	ND	0	ND	0	2.65
10/28/2008	stain	0	1.37	0.2	stain	0	3.92	0.7	2.73	0.35	ND	0	7.88	1	1.4	0.3	ND	0	ND	0	2.55
11/11/2008	stain	0	1.48	0.2	stain	0	3.9	0.7	2.78	0.35	ND	0	8.15	1	1.33	0.25	ND	0	ND	0	2.5
11/25/2008	stain	0	1.35	0.2	stain	0	3.79	0.75	2.37	0.4	ND	0	7.84	1.1	1.04	0.25	ND	0	ND	0	2.7
12/13/2008	stain	0	1.43	0.2	stain	0	3.99	0.7	2.66	0.4	ND	0	7.97	1.2	1.13	0.2	ND	0	ND	0	2.7
12/23/2008	stain	0	1.38	0.2	stain	0	3.68	0.7	2.17	0.4	ND	0	8.34	0.8	1.12	0.2	ND	0	ND	0	2.3
1/6/2009	stain	0	1.18	0.2	stain	0	3.94	0.7	2.56	0.4	ND	0	8.11	1	1.29	0.2	ND	0	ND	0	2.5
1/20/2009	stain	0	1.44	0.25	stain	0	4.2	0.75	2.72	0.4	ND	0	8.07	0.9	0.94	0.2	ND	0	ND	0	2.5
2/3/2009	stain	0	3.77	0.2	stain	0	5.33	0.7	3.89	0.4	ND	0	9.33	0.9	3.29	0.25	ND	0	ND	0	2.45
2/18/2009	stain	0	1.49	0.25	stain	0	3.63	0.75	2.46	0.45	ND	0	7.96	0.9	1.32	0.2	ND	0	ND	0	2.55
3/4/2009	stain	0	1.99	0.25	stain	0	3.59	0.6	2.6	0.4	ND	0	7.74	1	1.03	0.2	ND	0	ND	0	2.45
3/17/2009	NM	0	NM	0	NM	0	NM	0	NM	0	NM	0	7.55	1	NM	0	NM	0	NM	0	1
3/18/2009	stain	0	1.89	0.25	stain	0	3.77	0.7	2.47	0.4	ND	0	6.18	0.65	0.97	0.15	ND	0	ND	0	2.15
3/31/2009	stain	0	1.81	0.2	stain	0	3.89	0.7	2.38	0.4	ND	0	6.94	0.9	0.94	0.1	ND	0	ND	0	2.3
4/14/2009	stain	0	1.5	0.3	stain	0	3.74	0.8	2.22	0.3	ND	0	6.6	0.9	1.09	0.1	ND	0	ND	0	2.4
5/1/2009	stain	0	1.54	0.3	stain	0	4.03	0.6	2.1	0.3	ND	0	6.74	0.75	1.27	0.2	ND	0	ND	0	2.15
5/15/2009	stain	0	1.6	0.25	stain	0	3.77	0.7	2.16	0.4	ND	0	7.2	0.75	1.02	0.2	ND	0	ND	0	2.3
5/27/2009	stain	0	1.41	0.3	stain	0	3.54	0.65	2.02	0.4	ND	0	6.75	0.95	0.82	0.3	ND	0	ND	0	2.6
6/9/2009	stain	0	1.5	0.3	stain	0	4	0.7	2.12	0.4	ND	0	6.99	1	0.86	0.3	ND	0	ND	0	2.7
6/25/2009	stain	0	1.54	0.3	stain	0	3.96	0.75	1.96	0.5	ND	0	7.43	0.8	0.63	0.25	ND	0	ND	0	2.6
7/9/2009	stain	0	1.71	0.3	stain	0	3.82	0.7	2.39	0.4	ND	0	7.13	0.9	0.91	0.1	ND	0	ND	0	2.4
7/24/2009	stain	0	1.95	0.25	stain	0	3.98	0.7	3.25	0.3	ND	0	6.78	1	0.97	0.1	ND	0	ND	0	2.35
8/6/2009	stain	0	1.83	0.25	stain	0</td															

Hawthorn Group Passive NAPL Recovery (Page 4 of 5)

Well	HG-9S		HG-10S		HG-10D		HG-11S		HG-12S		HG-12D		HG-15S		HG-16S		HG-16D		FW-6		Total Vol. removed (gal)
	Date	Thickness (ft)	Vol. Removed (gal)																		
7/8/2010	stain	0	1.32	0.25	stain	0	2.28	0.4	2.9	0.4	ND	0	4.9	0.75	1.88	0.1	stain	0	NM	0	1.9
7/21/2010	stain	0	1.5	0.2	stain	0	2.14	0.4	3.06	0.5	ND	0	4.8	0.8	1.05	0.15	stain	0	NM	0	2.05
8/5/2010	stain	0	1.56	0.2	stain	0	2.31	0.4	3.06	0.5	ND	0	4.7	0.8	1.47	0.15	stain	0	NM	0	2.05
8/19/2010	stain	0	1.96	0.1	stain	0	2.28	0.4	2.9	0.55	ND	0	4.99	0.8	1.06	0.2	stain	0	NM	0	2.05
9/2/2010	stain	0	2.01	0.25	stain	0	2.21	0.4	3.03	0.5	ND	0	4.95	0.65	1.37	0.2	stain	0	NM	0	2
9/15/2010	stain	0	2.08	0.25	stain	0	2.14	0.35	2.98	0.45	ND	0	5.04	0.75	1.07	0.1	stain	0	NM	0	1.9
9/29/2010	stain	0	2.07	0.3	stain	0	2.14	0.4	2.9	0.4	ND	0	4.95	0.65	1.77	0.15	stain	0	NM	0	1.9
10/13/2010	stain	0	2.53	0.4	stain	0	2.19	0.4	2.86	0.45	ND	0	5.2	0.7	1.27	0.15	stain	0	NM	0	2.1
10/28/2010	stain	0	2.51	0.25	stain	0	2.24	0.4	2.95	0.4	ND	0	5.34	0.8	1.05	0.1	stain	0	NM	0	1.95
11/10/2010	stain	0	1.97	0.3	stain	0	2.21	0.4	3.06	0.4	ND	0	5.15	0.75	1.09	0.15	stain	0	NM	0	2
11/24/2010	stain	0	1.9	0.3	stain	0	NM	0.4	2.92	0.4	ND	0	NM	0.75	1.48	0.15	stain	0	NM	0	2
12/9/2010	stain	0	NM	0.4	stain	0	NM	0.4	NM	0.45	ND	0	NM	0.65	NM	0.1	stain	0	NM	0	2
12/21/2010	stain	0	3.05	0.3	stain	0	1.93	0.5	3.02	0.5	ND	0	5.1	0.8	1.1	0.2	stain	0	NM	0	2.3
1/6/2011	stain	0	2.7	0.35	stain	0	2.37	0.4	2.88	0.45	ND	0	4.5	0.6	1.37	0.2	stain	0	NM	0	2
1/19/2011	stain	0	2.9	0.3	stain	0	2.11	0.4	3.11	0.4	ND	0	5.35	0.8	1.91	0.25	stain	0	NM	0	2.15
2/2/2011	stain	0	2.49	0.25	stain	0	2.19	0.4	3.03	0.4	ND	0	5.34	0.65	1.47	0.15	stain	0	NM	0	1.85
2/17/2011	stain	0	2.43	0.2	stain	0	2.18	0.4	3.05	0.4	ND	0	5.54	0.65	1.48	0.15	stain	0	NM	0	1.8
3/3/2011	stain	0	2.56	0.35	stain	0	2.14	0.4	3.12	0.45	ND	0	5.53	0.8	0.63	0.1	stain	0	NM	0	2.1
3/16/2011	stain	0	2.05	0.3	stain	0	1.94	0.4	2.96	0.4	ND	0	5.4	0.7	1.4	0.15	stain	0	NM	0	1.95
3/30/2011	stain	0	1.88	0.25	stain	0	2.08	0.4	3.03	0.4	ND	0	5.53	0.75	1.03	0.1	stain	0	NM	0	1.9
4/13/2011	stain	0	2.23	0.35	stain	0	1.67	0.35	2.94	0.4	ND	0	5.53	0.75	1.03	0.15	stain	0	NM	0	2
4/28/2011	stain	0	2.89	0.3	stain	0	2.09	0.4	3.02	0.4	ND	0	5.64	0.75	0.7	0.1	stain	0	NM	0	1.95
5/11/2011	stain	0	2.55	0.35	stain	0	1.98	0.4	2.92	0.4	ND	0	5.46	0.65	0.85	0.15	stain	0	NM	0	1.95
5/26/2011	stain	0	1.9	0.3	stain	0	1.98	0.4	3.05	0.4	ND	0	5.13	0.65	1.53	0.25	stain	0	NM	0	2
6/8/2011	stain	0	2.56	0.3	stain	0	2.03	0.4	2.89	0.4	ND	0	4.96	0.75	0.7	0.15	stain	0	NM	0	2
6/23/2011	stain	0	2.1	0.4	stain	0	2.19	0.4	3.05	0.45	ND	0	4.70	0.5	1.55	0.2	stain	0	NM	0	1.95
7/7/2011	stain	0	1.71	0.25	stain	0	2.14	0.4	3.05	0.4	ND	0	5.5	0.7	1.37	0.15	stain	0	NM	0	1.9
7/20/2011	stain	0	2.08	0.25	stain	0	1.94	0.4	2.86	0.35	ND	0	5.13	0.75	0.77	0.1	stain	0	NM	0	1.85
8/4/2011	stain	0	2.55	0.4	stain	0	2.19	0.45	2.66	0.4	ND	0	5.45	0.7	0.54	0.1	stain	0	NM	0	2.05
8/17/2011	stain	0	1.81	0.25	stain	0	2.11	0.4	2.91	0.4	ND	0	5.40	0.75	1.25	0.15	stain	0	NM	0	1.95
9/1/2011	stain	0	2.06	0.35	stain	0	2.18	0.4	2.92	0.35	ND	0	5.13	0.7	1.03	0.15	stain	0	NM	0	1.95
9/15/2011	stain	0	2.35	0.35	stain	0	2.04	0.4	2.46	0.4	ND	0	5.37	0.55	1.33	0.25	stain	0	NM	0	1.95
9/29/2011	stain	0	2.28	0.4	stain	0	1.98	0.4	2.86	0.4	ND	0	5.50	0.6	1.21	0.25	stain	0	NM	0	2.05
10/13/2011	stain	0	2.51	0.35	stain	0	1.97	0.4	2.84	0.35	ND	0	5.37	0.75	0.52	0.15	stain	0	NM	0	2
10/26/2011	stain	0	2.08	0.35	stain	0	1.68	0.35	3.04	0.4	ND	0	5.10	0.7	1.14	0.2	stain	0	NM	0	2
11/9/2011	stain	0	2.02	0.3	stain	0	1.61	0.3	2.95	0.4	ND	0	5.13	0.75	1.74	0.15	stain	0	NM	0	1.9
11/27/2011	stain	0	1.91	0.35	stain	0	2.24	0.4	2.92	0.45	ND	0	5.51	0.7	1.05	0.1	stain	0	NM	0	2
12/8/2011	stain	0	1.88	0.3	stain	0	1.														

Hawthorn Group Passive NAPL Recovery (Page 5 of 5)

Well	HG-9S		HG-10S		HG-10D		HG-11S		HG-12S		HG-12D		HG-15S		HG-16S		HG-16D		FW-6		Total Vol. removed (gal)
	Date	Thickness (ft)	Vol. Removed (gal)																		
11/8/2012	stain	0	1.5	0.3	stain	0	1.82	0.35	2.33	0.4	ND	0	4.44	0.75	1.23	0.15	stain	0	NM	0	1.95
11/21/2012	stain	0	1.58	0.4	stain	0	1.77	0.3	2.25	0.3	ND	0	3.88	0.6	1.03	0.1	stain	0	NM	0	1.7
12/5/2012	stain	0	1.47	0.3	stain	0	1.84	0.35	2.22	0.3	ND	0	3.96	0.65	1.12	0.1	stain	0	NM	0	1.7
12/18/2012	stain	0	1.53	0.4	stain	0	1.76	0.4	2.3	0.25	ND	0	4.04	0.6	1.09	0.2	stain	0	NM	0	1.85
1/2/2013	stain	0	1.61	0.3	stain	0	1.87	0.3	2.36	0.3	ND	0	4.23	0.5	1.12	0.1	stain	0	NM	0	1.5
1/16/2013	stain	0	1.6	0.5	stain	0	1.85	0.4	2.36	0.4	ND	0	4.08	0.5	1.07	0.25	stain	0	NM	0	2.05
1/30/2013	stain	0	1.53	0.35	stain	0	1.78	0.4	2.23	0.4	ND	0	4.31	0.5	0.96	0.2	stain	0	NM	0	1.85
2/14/2013	stain	0	1.53	0.35	stain	0	1.8	0.35	2.49	0.4	ND	0	4.17	0.5	0.94	0.1	stain	0	NM	0	1.7
2/27/2013	stain	0	1.3	0.2	stain	0	1.74	0.25	1.85	0.3	ND	0	3.95	0.45	0.83	0.1	stain	0	NM	0	1.3
3/13/2013	stain	0	1.48	0.4	stain	0	1.81	0.4	1.99	0.3	ND	0	3.84	0.6	0.73	0.1	stain	0	NM	0	1.8
3/27/2013	stain	0	1.48	0.45	stain	0	1.82	0.35	1.6	0.4	ND	0	3.95	0.45	0.83	0.15	stain	0	NM	0	1.8
4/10/2013	stain	0	stain	0	stain	0	1.47	0.35	1.63	0.3	ND	0	3.54	0.45	0.77	0.15	stain	0	NM	0	1.25
4/24/2013	stain	0	stain	0	stain	0	1.77	0.35	1.86	0.4	ND	0	3.92	0.5	stain	0	stain	0	NM	0	1.25
5/8/2013	stain	0	stain	0	stain	0	1.7	0.35	1.83	0.4	ND	0	3.78	0.45	stain	0	stain	0	NM	0	1.2
5/22/2013	stain	0	stain	0	stain	0	1.64	0.35	1.83	0.4	ND	0	3.51	0.4	stain	0	stain	0	NM	0	1.15
6/5/2013	stain	0	stain	0	stain	0	1.81	0.4	1.85	0.3	ND	0	3.57	0.4	1.02	0.2	stain	0	NM	0	1.3
6/18/2013	stain	0	stain	0	stain	0	1.47	0.3	1.58	0.3	ND	0	3.43	0.4	stain	0	stain	0	NM	0	1
7/4/2013	stain	0	stain	0	stain	0	1.77	0.4	1.76	0.3	ND	0	3.57	0.5	stain	0	stain	0	NM	0	1.2
7/17/2013	stain	0	stain	0	stain	0	1.67	0.3	1.78	0.3	ND	0	3.19	0.4	0.94	0.15	stain	0	NM	0	1.15
7/31/2013	stain	0	stain	0	stain	0	1.04	0.25	1.65	0.25	ND	0	2.88	0.5	stain	0	stain	0	NM	0	1
8/15/2013	stain	0	stain	0	stain	0	1.72	0.4	1.48	0.3	ND	0	3.58	0.5	stain	0	stain	0	NM	0	1.2
9/4/2013	stain	0	stain	0	stain	0	2.21	0.55	2	0.4	stain	0	3.73	0.5	stain	0	stain	0	NM	0	1.45
9/18/2013	stain	0	stain	0	stain	0	1.7	0.5	1.4	0.3	ND	0	3.33	0.55	stain	0	stain	0	NM	0	1.35
Total Removed		0.1		74.15		0.0		122.10		92.05		0.0		150.91		62.55		0.0		0.0	549.21

Notes:

6/19/04 measured with bailer

7/07/04 measured with weighted cotton string

Other dates used Bailer & Interface Probe

ND indicates NAPL not detected

NM indicates measurement not taken

Stain indicates that NAPL stained measurement probe, but thickness was unmeasurable

Blank indicated no measured DNAPL removal

10/25/05 began two-week schedule

5/17/06 used low-flow pump (as opposed to the bailer)

7/10/07 RH performed bailing

11/13/07 New Heron Oil/Water Interface Probe (H01L/SM01L) now in use

3/4/08 through 8/25/08 Key Environmental pumping well running 8 ft away from HG-10S and HG-10D


12/23/08 Michael Toundas performed DNAPL recovery


2/3/2009 difficulties with obtaining DNAPL/water interface with new tape

3/18/09 - only performed DNAPL recovery at HG-15S

starting on 8/20/09 - used peristaltic pump at HG-11S & HG-15S; stain observed at HG-16D and M-22B

10/21/2009 - FW-6 no longer measured due to Upper Floridan IRM





GAINESVILLE REMEDIAL DESIGN																			October 2013				
ID	WBS	Task Name	Duration	Predecessors	Start	Finish	1Q13 J F M A M J	2Q13 J A S O N D	3Q13 J F M A M J	4Q13 J A S O N D	1Q14 J F M A M J	2Q14 J A S O N D	3Q14 J F M A M J	4Q14 J A S O N D	1Q15 J F M A M J	2Q15 J A S O N D	3Q15 J F M A M J	4Q15 J A S O N D	1Q16 J F M A M J	2Q16 J A S O N D	3Q16 J F M A M J	4Q16 J A S O N D	1Q17 J F M A M J
159	9.5.7	Address Comments and Execute Restrictive Covenant	5 wks	158	Wed 6/11/14	Tue 7/15/14																	
160	9.5.8	Record Restrictive Covenant at Alachua County Clerk of Court	0 wks	159		Tue 7/15/14																	
161	9.5.9	Prepare Final Proprietary Controls Package	8.6 wks	160	Wed 7/16/14	Fri 9/12/14																	
162	9.5.10	Submit Final Proprietary Controls Package	0 wks	161		Fri 9/12/14																	
163																							
164																							
165																							