

**From:** [Chapman Ross](#)  
**To:** [John Mousa](#)  
**Cc:** [Wayne Reiber@cabot-corp.com](mailto:Wayne_Reiber@cabot-corp.com); [Joseph Jeray](#); [Carl Elder](#); [Manu Sharma \(MSHARMA@gradientcorp.com\)](mailto:Manu_Sharma_(MSHARMA@gradientcorp.com)); [Meghna Swamy \(MSwamy@gradientcorp.com\)](mailto:Meghna_Swamy_(MSwamy@gradientcorp.com))  
**Subject:** Background Samples  
**Date:** Monday, September 30, 2013 5:10:04 PM

---

Hi John,

During the call to discuss the response to comments on the ISCO work plan, you had asked for more specific information on which background samples we had collected for bench testing.

Soil (6.5 kg) and groundwater (2.0 liters) samples were collected from location WS-24/SB-24 from 35 to 39 ft below ground surface for use as background samples.

Regards,  
Chapman

**Chapman M. Ross, PE**  
*Senior Environmental Engineer*

-----  
289 Great Road, Suite 105  
Acton, MA 01720  
Main: 978.263.9588  
Direct: 978.206.5779  
Cell: 617.821.0686  
[www.Geosyntec.com](http://www.Geosyntec.com)

This electronic mail message contains information that (a) is or may be LEGALLY PRIVILEGED, CONFIDENTIAL, PROPRIETARY IN NATURE, OR OTHERWISE PROTECTED BY LAW FROM DISCLOSURE, and (b) is intended only for the use of the Addressee(s) named herein. If you are not the intended recipient, an addressee, or the person responsible for delivering this to an addressee, you are hereby notified that reading, using, copying, or distributing any part of this message is strictly prohibited. If you have received this electronic mail message in error, please contact us immediately and take the steps necessary to delete the message completely from your computer system.