

**From:** [Manu Sharma](#)  
**To:** [Hutton, Richard H](#); [Wayne Reiber](#); [Rusty Kestle](#); [Scott Miller](#); [John Mousa](#); [John Herbert](#); [Richard E. Jackson](#); [Stanley Feenstra](#); [Cline Patricia](#); ["Helton, Kelsey"](#); ["osteen.bill@epa.gov"](mailto:osteen.bill@epa.gov)  
**Cc:** [Meghna Swamy](#); [Carl Elder](#); [Chapman Ross](#); [Taylor, Mark](#); [Bernie Kueper](#)  
**Subject:** Tracer Study Work Plan  
**Date:** Tuesday, September 24, 2013 1:15:15 PM  
**Attachments:** [Draft-Dye-Testing-Work-Plan-Rev.pdf](#)

---

All:

Attached please find a draft tracer study work plan to assess if annular well seal leakage is resulting in the groundwater quality impacts observed at HG-29D. We have incorporated the input that GRU provided into the design of the work plan. It's a quick read and we look forward to discussing this on Thursday.

Regards

**Manu Sharma | Gradient**

---

**From:** Manu Sharma  
**Sent:** Friday, September 20, 2013 3:07 PM  
**To:** 'Hutton, Richard H'; Wayne Reiber; Rusty Kestle; Scott Miller; John Mousa; John Herbert; Richard E. Jackson; Stanley Feenstra; Cline Patricia; 'Helton, Kelsey'; 'osteen.bill@epa.gov'  
**Cc:** Meghna Swamy; Carl Elder; Chapman Ross; 'Taylor, Mark'; Bernie Kueper  
**Subject:** Hawthorn Investigation Figures, Cabot, Gainesville

All:

Figures presenting soil and groundwater quality data obtained during the 2013 Hawthorn Investigation undertaken by Cabot are posted on our FTP site (see address below). If you plan to print these figures, please do so on 11x17 paper (or larger), otherwise the labels may be hard to read. Please let me know if you have any questions or problems accessing the information. We looking forward to seeing you next week.

<ftp://gainesville:Grad9797@ftp.gradientcorp.com/204079/>

user name: gainesville  
password: Grad9797

Regards,

Manu

---

**Manu Sharma, P.E.** | Principal  
617-395-5515 | [msharma@gradientcorp.com](mailto:msharma@gradientcorp.com)

**Gradient** | 20 University Road | Cambridge, MA 02138 | 617-395-5000 | [www.gradientcorp.com](http://www.gradientcorp.com)

This message contains information which may be confidential or privileged. Unless you are the addressee (or authorized to receive for the addressee), you may not use, copy, or disclose to anyone this message or any information contained in the message. If you have received this message in error, please advise the sender by reply e-mail, and delete all copies of this message and its attachment(s).