



Alachua County Environmental Protection Department

Chris Bird, Director

February 28, 2013

Mr. Scott Miller
Remedial Project Manager
USEPA Region 4
61 Forsyth Street, SW
Atlanta, GA 30303

Re: ACEPD Follow-up -- Request for Sampling of Off-site Private Wells Near Cabot/Koppers Site, Gainesville, Florida

Dear Scott:

In an August 23, 2012 meeting in Gainesville between the Alachua County Environmental Protection Department (ACEPD) (Robin Hallbourg and John Mousa), the Alachua County Health Department (ACHD) (Anthony Dennis), Beazer East (Mitch Brouman) and TetraTech (Jim Erickson and Greg Council), and yourself (USEPA), ACEPD (Robin Hallbourg) discussed the multiple offsite private wells known to exist on the properties immediately adjacent to the former Cabot-Koppers Superfund Site and the need to sample and properly abandon these wells. It was discussed at the meeting that there were several partial inventories of these wells compiled by ACEPD, ACHD and TRC in their June 2004 report. ACEPD agreed to work with ACHD to reconcile these lists and data tables in order to provide a more organized inventory to USEPA and Beazer East.

As a follow-up to that meeting, ACEPD has compiled well information from the June 2004 TRC report and March 2009 ACHD well inventory, as well as from field observations by ACEPD staff and has plotted the locations of the wells nearest the site on the attached map, "Cabot Koppers Off-Site Private Wells". An Excel table titled "Inventory of Known Private Potable, Non-Potable, Irrigation and Other Wells Offsite in Vicinity of Cabot Koppers Superfund Site" which is an inventory of currently known wells from the well inventories and field work is also attached (electronically). The number labels on the well locations in the attached map correspond to the well numbering in the attached spreadsheet inventory. ACEPD did not conduct any recent field work to verify the existence of the wells described in the inventories or attempt to locate any additional wells. The table inventory includes wells that are not shown on the attached map.

Many of the wells near the site, shown in the "targeted area" on the map, have not been or can no longer be sampled due to pump condition or site access. There appears to be at least 11 irrigation or former potable supply wells in proximity (located west and north of the Koppers portion of the site) to the site. A number of these wells have been sampled previously and most have not shown detectable levels of site related organic contaminants. Many of these wells have not been

Letter to Scott Miller, Remedial Project Manager

February 20, 2013

Re: ACEPD Follow-up on Off-site Private Wells Issue Cabot/Koppers Site, Gainesville, Florida

Page 2

sampled in over five years. Some of these wells are located in areas planned for off-site soil removal. ACEPD recommends that these wells, and any other wells located during the off-site remediation, be sampled and properly plugged and abandoned as part of the off-site soil removal work. Many of these wells are likely completed in the surficial or intermediate aquifer. At least one of the wells (No. 39 on attached inventory and map) located adjacent to western boundary of the former Koppers site at 437 NW 29th Avenue is reported to be completed in the Floridan aquifer system.

ACEPD believes it is imperative that these wells be sampled prior to abandonment, given the documented historical presence of potentially site-related constituents (methlyphenols, naphthalene and BTEX) in at least one offsite private well (the former Geiersbach well off-site to the west, which was previously plugged and abandoned) (No. 61 in inventory and map) and the presence of acenaphthene in sample results reported from on site boundary well FW-22B Zone 2 of 8.7 ug/L on 3/21/2012 and 15 ug/L on 6/18/2012.

Additionally, an irrigation well located close to the northern site boundary at 201 NW 33th Ave. (No. 15 in inventory and map) has confirmed low levels of potentially site related constituents. The table below presents low level PAH data from this northern boundary well for the last three sampling events conducted by ACEPD. This well is completed in the intermediate aquifer (Upper Hawthorn Group) and was reported by TRC to be a total depth of 69.7 feet. Since there is a lack of intermediate aquifer (Hawthorn Group) wells in the northern third of the Koppers portion of the site it is difficult to determine the source of this impact.

Low level PAH data for the irrigation well at 201 NW 33rd Avenue.

<u>Compound Detected</u>	<u>Results</u> 12/17/09	<u>Results</u> 5/20/10	<u>Results</u> 2/3/11	<u>State Criteria or</u> <u>MCL</u>
Acenaphthene	1.6 ug/L	0.54 ug/L	1.1 ug/L	20 ug/L
Anthracene	0.064 ug/L*	0.014 ug/L *	Not Detected	2,100 ug/L
1-Methylnaphthalene	0.56 ug/L	0.19 ug/L	0.33 ug/L*	28 ug/L
Naphthalene	1.0 and 0.58 ug/L	1.6 ug/L	3.5 ug/L	14 ug/L


* Value between the method detection limit and the practical quantitation limit

To summarize, it is ACEPD's recommendation that if possible all wells within the targeted areas should be sampled for site related constituents to document current water quality and wells no longer in use should be properly plugged and abandoned following water management district protocols. These measures will help insure the protection of groundwater quality in proximity to the site. If you have any questions or need more information about the information in this letter, please contact Robin Hallbourg at 352-264-6825 (robin@alachuacounty.us).

Sincerely,



John J. Mousa, Ph.D.
Pollution Prevention Manager



Robin Hallbourg, P.G.
Staff Professional Geologist

Letter to Scott Miller, Remedial Project Manager

February 20, 2013


Re: ACEPD Follow-up on Off-site Private Wells Issue Cabot/Koppers Site, Gainesville, Florida
Page 2

cc: Anthony Dennis, Alachua County Health Department, w/Enc.
Rick Hutton, Gainesville Regional Utilities
Stewart Pearson, City of Gainesville
John Herbert, GeoHydro Consultants
Kelsey Helton, Florida Department of Environmental Protection

Enc: Map: "Cabot Koppers Off-Site Private Wells" February 2013
Excel spreadsheet: "Inventory of Known Private Potable, Non-Potable, Irrigation and Other
Wells Offsite in Vicinity of Cabot Koppers Superfund Site" Feb 27, 2013



NW 39 AV



Cabot Koppers Off-Site Private Wells

DISCLAIMER: This map and the spatial data it contains are made available as a public service, to be used for reference purposes only. The Alachua County Environmental Protection Department provides this information AS IS without warranty of any kind, implied or expressed, regarding accuracy, completeness, or fitness of use. The quality of the data is dependent on the various

	Private Wells (82)		500 Foot Buffer
	2012 DOH Sampled Potable Wells		1/4 Mile Buffer
	Targeted Area		1/2 Mile Buffer



INVENTORY OF KNOWN PRIVATE POTABLE, NON-POTABLE, IRRIGATION AND OTHER WELLS OFFSITE IN VICINITY OF CABOT-KOPPERS SUPERFUND SITE *

Feb 27- 2013

ID	Owner Name	Former Owner, Contact or Tennant	Address	Tax Parcel Number	Reported Well Use	Inventory Source(s)	FLUWID#	Well Depth	Casing Diameter	Date Constructed	Comments
1	Richard Bell	-----	3166 NW 12th Terrace	08851-000-000	Non-potable	-----	DOH	----	----	----	----
2	Two Bald Fat Men Investments II LLC	Coleman Oil	4215 NW 6th Street	07976-000-000	-----	-----	DOH	----	----	----	----
3	Riley Ray	-----	4001 B NW 6th Street	07992-005-000	-----	-----	DOH	----	----	----	DOH - Refused sampling
4	Rushing Jr. & Rushing Trustees	Yvonne Rushing	4019 NW 6th Street	07991-000-000	-----	-----	DOH	----	----	----	----
5	Warner W. Weseman Trustee	-----	4210 NW 6th street	08141-001-000	-----	-----	DOH	----	----	----	----
6	Kendall & Karen Cayson	Edward & Meva Moratto	3505 NW 6th Street	08334-000-000	Irrigation	TRC - Table 4.1	DOH	----	----	----	ACEPD - formerly potable supply; now irrigation. Current owner declined well sampling on 3/27/2012.
7	Leitner and Muphree-Leitner H/W	Alice Murphree-Leitner	3627 NW 6th Street	08321-000-000	Potable	TRC - Table 4.2	DOH	35-40	2	Before 1948	----
8	Suzanne M. Grooms	Jim Maren	3702 NW 6th Street	08263-000-000	Potable	TRC - Table 4.1	DOH	120	----	----	ACEPD - Grooms listed as owner; Jim Maren said the owner was Susan Maren 55 Chicken Mill Pond Rd Gouldsboro, ME 04607 207-266-1823
9	Dorothy Shields	-----	426 NW 36th Avenue	08326-000-000	Potable	TRC - Table 4.1	DOH	----	4	1989	----
10	B. F. Voichysonk	Goodwin	1230 NW 36th Road	08558-000-000	Potable	TRC - Table 4.2	DOH	----	----	----	----
11	Harriet Roth	-----	4225 NW 10th Street	08136-000-000	-----	-----	DOH	----	----	----	----
12	Richard Jones	-----	622 NW 33rd Avenue	08485-000-000	Potable	TRC - Table 4.1	DOH	----	----	----	----
13	George Swicord	-----	3425 NW 5th Street	08332-000-000	Potable	TRC - Table 4.1	DOH	----	----	----	ACEPD - TRC also listed a well owned by Swicord on parcel 08332-0001-000, not a valid parcel number and possibly a duplicate table entry.
14	Amanda & Daniel Watson	Sieving	3221 NW 6th Street	08258-000-000	Potable	-----	DOH	----	----	----	DOH - pump was not working; could not get a sample
15	Clarence Magee	Clarence H. Magee Life Estate	201 NW 33rd Avenue	08387-000-000	Irrigation	TRC - Table 4.1	DOH, ACEPD	69.7	2	----	ACEPD - Pump was reportedly not operational on 3/27/2012
16	Stephen Tanner	The Lighting Gallery	2430 NW 6th Street	08618-000-000	Irrigation	TRC - Table 4.2	DOH	----	----	1989	DOH - DEP request to sample the well
17	Union Electrical Workers Inc.	Matt Meadows, I.B.E.W. Local 1205	2510 NW 6th Street	08314-000-000	Irrigation	TRC - Table 4.1	DOH	195	4	1985	Originally tagged as AA5250 in 2008 by DOH, retagged to AAM4098
18	Mildred & D. M. Cellon, Jr.	-----	626 NW 32nd Place	08524-000-000	Irrigation	-----	DOH	----	----	----	DOH - This is reportedly an irrigation well
19	David Cheney	Johnston	1210 NW 35th Avenue	08275-001-000	Potable	-----	DOH	----	----	----	----
20	Clark and Pagan-Clark H/W	San Miguel	4134 NW 9th Street	08035-037-000	-----	-----	DOH	----	----	----	----
21	Fred Lewis	City Auto Repair, Ted Orton	4488 NW 6th Street	08096-000-000	Water supply	TRC - Table 4.1	DOH	80	4	1986	----
22	Loveita May & Donald Kline	-----	920 NW 25th Avenue	08319-000-000	Potable	-----	DOH	----	----	----	----
23	H. E. Streit	-----	1115 NW 35 Avenue	08561-000-000	Potable	-----	DOH	----	----	----	----
24	J.S. Crisman	-----	3010 NW 9th Street	08769-000-000	Irrigation	TRC - Table 4.1	ACEPD	170	4	1988	----
25	Cumberland Circle Comm Assoc Inc.	-----	NW 16th Terrace	09013-020-000	Irrigation	ACEPD	----	----	----	----	ACEPD - Irrigation for the common areas
26	J. R. Dekle & Dekle III	Alice Murphree-Leitner/G. W. Dekle	3600 NW 12th Street	08274-010-003	Non-potable	TRC - Table 4.2	DOH	----	----	----	----
27	Patricia Exainvil	-----	3401 NW 6th Street	08339-000-000	Not used	-----	ACEPD	----	4	----	ACEPD - reported by the home owner that the well is not in use
28	Gainesville High School (GHS)	-----	1900 NW 13th Street	09009-000-000	Irrigation	-----	ACEPD	----	----	----	----
29	Randolph Handel	Christopher Kennard, Matthew Gera	544 NW 31st Lane	08256-001-000	-----	TRC - Table 4.1	----	----	4	1990	----
30	Duval Motor Cars of Gainesville, Inc.	Formerly the Round Bar/Thomas Henderson	414 NE 39th Avenue	08159-002-002	Irrigation/ Heat Pump	TRC - Table 4.1	ACEPD	----	----	1990	TRC lists an irrigation well, disposition unknown. Wells for groundwater heat pumps plugged/abandoned when the former building was demolished and the site redeveloped.
31	Ironwood Golf Course	-----	2100 NE 39th Avenue	08160-000-000	Irrigation	-----	ACEPD	----	----	----	----
32	Robert and Nancy McPeck	-----	1220 NW 36th Road	08274-001-000	Non-potable	TRC - Table 4.2	DOH	----	----	----	DOH - City water
33	Thu-hien Nguyen	Cleve Faircloth	516 NW 29th Avenue	08454-000-000	Dry well	TRC - Table 4.1	----	----	----	----	----
34	James and Farinda O'Steen	-----	437 NW 29th Avenue	08444-001-000	Irrigation	TRC - Table 4.1	ACEPD	----	----	1989	ACEPD - two wells on the property; surficial and one reportedly ~160 feet deep. No pump of the surficial well; pump of the deeper well inoperable.
35	Federal National Mortgage Assoc.	Michael Parsons/E.L. Miller	514 NW 33rd Avenue	08348-000-000	Irrigation	TRC - Table 4.1	----	----	----	1989	----
36	Joni Dowst Trustee	Scott Peterson	3129 NW 4th Street	08397-000-000	-----	TRC - Table 4.1	----	----	----	----	TRC - does not want to be contacted again.
37	Richard Pla	Anne Hart	800 NW 36th Avenue	08554-001-000	Water supply	TRC - Table 4.1	----	84	2	1946	----
38	R.L. Rerra	-----	906 NW 42nd Avenue	08140-001-000	-----	-----	DOH	----	----	----	----
39	Stoughton Jr. & Stoughton	Ashley Campbell	437 NW 30th Avenue	08462-000-000	Not used	TRC - Table 4.1	----	----	----	----	----
40	Tim Strauser	-----	3220 NW 14th Street	08962-003-000	Irrigation	-----	ACEPD	<30	2	----	ACEPD - Owns two adjacent properties; shallow wells may be used as a backup for potable supply. Parcels are on city water.
41	Tim Strauser	-----	3232 NW 14th Street	08961-000-000	Irrigation	-----	ACEPD	<30	2	----	----
42	Unable to determine	John Rzepechi	3824 NE 13th Drive	Not found	Irrigation	TRC - Table 4.2	----	120	4	1976	ACEPD - Unable to identify physical location; no tax parcel for this address
43	Gainesville Road Prison	-----	SR 26 East	-----	Water supply	TRC - Table 4.2	----	295	----	1980	ACEPD - unable to identify physical location; reportedly approximately 1.5 miles east of Waldo Road.
44	Pinewood LLC	Formerly Scotty's now Gainesville Carpet Plus	6510 NW 13th St	06014-304-000	Irrigation	TRC - Table 4.2	ACEPD	225	4	1985	----
45	Life South Community Blood Center	Civitan Regional Blood Center	1221 NW 13th Street	09536-002-000	Water supply	TRC - Table 4.2	----	195	4	1984	----
46	Creeks Edge Condominiums	Covered Bridge Apartments, Robert A. McNeil	1810 NW 23rd Boulevard	Various	Irrigation	TRC - Table 4.2	----	----	6	1984	ACEPD - No parent parcel
47	Mike Hudnall	-----	Unable to determine	-----	Irrigation	TRC - Table 4.2	----	192	4	1986	ACEPD - unable to identify physical location
48	Sharren Gibbs	William O'Byrne	1610 NW 24th Street	06421-000-000	Irrigation	TRC - Table 4.2	----	135	----	1985	----
49	Lavery and Lavery III	Alachua County Farm Bureau	4507 NW 6th Street	07967-001-000	Office	TRC - Table 4.2	----	85	4	1977	----
50	John L Cloyd	City of Gainesville	515 NW 41st Avenue	07992-001-000	Water supply	TRC - Table 4.2	----	200	4	----	----
51	Gainesville Automotive Management LLC	Wade Raulerson Pontiac GMC	3801 N Main Street	08231-010-003	Irrigation	TRC - Table 4.1	----	----	----	----	TRC - Not used
52	P&J Marina, Inc.	-----	100 NE 23rd Avenue	08244-001-001	Not used	TRC - Table 4.1	ACEPD	----	----	----	ACEPD - Well no longer in use; P&J marine reported the well has been plugged. TRC inventory listed a Cabot well on this property.
53	Southwind Investments LLC	Robin Evans	2523 NW 6th Street	08253-001-000	-----	TRC - Table 4.1	----	----	----	----	----
54	Bruno Pais	-----	3242 NW 5th Street	08258-001-000	Not used	TRC - Table 4.1	----	----	----	----	----
55	Margaret Fowler	-----	2602 NW 8th Street	08313-000-000	-----	TRC - Table 4.1	----	----	----	----	TRC - not used in over 12 years (UST also on property)

56	Harvey McKenzie	-----	445 NW 36th Avenue	08328-000-000	-----	TRC - Table 4.1	-----	-----	-----	-----	-----	-----
57	Oxford-Pickeral & Pickeral W/H	Charlie Bishop	3415 NW 5th Street	08336-000-000	-----	TRC - Table 4.1	-----	-----	-----	-----	-----	-----
58	Thetis Strickland	-----	430 NW 32nd Avenue	08402-000-000	Not used	TRC - Table 4.1	-----	-----	-----	-----	-----	TRC - pump broken
59	Hushelpeck and Vaughn	Eric Hushelpeck	3027 NW 4th Terrace	08415-000-000	-----	TRC - Table 4.1	-----	-----	-----	-----	-----	TRC - dry well
60	Michael Drake	-----	518 NW 28th Avenue	08440-000-000	-----	TRC - Table 4.1	-----	-----	-----	-----	-----	-----
61	Roy Geiersbach	-----	410 NW 26th Avenue	08481-009-000	Irrigation	TRC - Table 4.1	ACEPD	-----	228	4	-----	Well plugged and abandoned by contractor to Beazer East, Inc.
62	David & Digiovanni W/H	Joseph Bordeaux	706 NW 36th Street	08482-005-000	-----	TRC - Table 4.1	-----	-----	-----	-----	-----	-----
63	Anna Arp	-----	626 NW 33rd Avenue	08486-000-000	Not used	TRC - Table 4.1	-----	-----	-----	-----	-----	DOH - Not used in 30 years
64	Mark Kanzler	-----	712 NW 34th Avenue	08508-000-000	-----	TRC - Table 4.1	-----	-----	-----	-----	-----	TRC - Ornamental hand pump on well
65	Kameron Williams	Donna Mitchell	725 NW 33rd Avenue	08520-000-000	-----	TRC - Table 4.1	-----	-----	-----	-----	-----	-----
66	Jennifer Muir	-----	805 NW 32nd Place	08553-000-000	Not used	TRC - Table 4.1	-----	-----	-----	-----	-----	TRC - Pump doesn't work
67	Lydia T. Bigelow Trustee	Gordon Bigelow	906 NW 36th Road	08554-004-000	Water supply	TRC - Table 4.1	-----	-----	-----	2	1986	-----
68	Pamela Gilbert	-----	912 NW 36th Road	08554-005-000	Water supply	TRC - Table 4.1	-----	-----	-----	-----	-----	-----
69	David and Melanie Mayo	Mrs. Bob Curran	928 NW 36th Road	08554-006-000	Water supply	TRC - Table 4.1	-----	-----	100	4	1986	-----
70	De Athaycle & Morrison	Jack Motta	930 NW 36th Road	08554-007-000	Water supply	TRC - Table 4.1	-----	-----	-----	-----	-----	TRC - Well 27 years old
71	Macedo & Wade W/H	Enholm & Enholm	1010 NW 36th Road	08554-008-000	-----	TRC - Table 4.2	-----	-----	-----	-----	-----	-----
72	Tace Hedrick	James Stephan	1030 NW 36th Road	08554-009-000	-----	TRC - Table 4.2	-----	-----	-----	-----	-----	-----
73	Gerald Williamson	-----	1110 NW 36th Road	08554-011-000	-----	TRC - Table 4.2	-----	-----	-----	-----	-----	-----
74	Bennilene Curry Pennisi	-----	1200 NW 36th Road	08554-012-000	-----	TRC - Table 4.2	-----	-----	-----	-----	-----	-----
75	Olson & Osmond	Richard Ploch	911 NW 36th Road	08554-021-000	Water supply	TRC - Table 4.1	-----	-----	-----	4	1986	-----
76	James & Virginia Owens	Edward Herbert	702 NW 30th Avenue	08747-000-000	Not used	TRC - Table 4.1	-----	-----	-----	-----	-----	-----
77	John Markam	John & Nita Stanley	714 NW 30th Avenue	08748-000-000	Not used	TRC - Table 4.1	-----	-----	-----	-----	-----	-----
78	Yasuo Uotate	Katherine Michael	819 NW 30th Avenue	08765-000-000	Not used	TRC - Table 4.1	-----	-----	-----	-----	-----	TRC - pump doesn't work
79	Kenneth and Deborah Knopf	Combs & Knopf	2257 NW 31st Avenue	09006-001-000	Water Supply	TRC - Table 4.2	-----	-----	200	4	1983	-----
80	Irby & Mounts H/W	John Ridge	1402 NW 18th Street	09023-002-002	Irrigation	TRC - Table 4.2	-----	-----	150	4	1982	ACEPD - Irrigation and Heat Pump
81	Fred Vyverberg	-----	2277 NW 16th Avenue	09247-007-000	Water Supply	TRC - Table 4.2	-----	-----	125	4	1984	-----
82	John May	-----	815 NW 23rd Court	09263-002-000	-----	-----	-----	-----	-----	-----	-----	ACEPD - address for this parcel appears to be 2226 NW 8th Court, owner John B. May Trustee
83	Hayrentz LLC	Curtis E. Newsome	708 NW 10th Avenue	09721-000-000	Water supply	TRC - Table 4.2	-----	-----	203	4	1983	-----
84	Marylee Chapman	Grace Crummer	525 NW 19th Lane	10004-001-000	Not used	TRC - Table 4.1	-----	-----	-----	-----	-----	TRC - Not used - capped with concrete
85	Granada Apts	-----	1800 NW 4th Street	10008-000-000	Irrigation	TRC - Table 4.2	-----	-----	175	4	1978	-----
86	Thomas and Lorraine Murphy	Rodjuan Engineering	1724 NE 2nd Street	10072-003-000	Irrigation	TRC - Table 4.2	-----	-----	200	4	1983	-----
87	1000 NE 16th Avenue Partners LLC	Kenneth McGurn	1000 NE 16th Avenue	10615-001-000	Not used	-----	-----	-----	420	4	-----	ACEPD - One 6-inch unused irrigation well located at this address
88	Gar Hoflund	-----	541 NE Boulevard	12252-000-000	Water Supply	TRC - Table 4.2	-----	-----	85	4	1984	ACEPD - Located in the Duck Pond area
89	Larry Mack	-----	7727 NE 24th Place	17755-002-000	Private	TRC- Table 4.2	-----	-----	110	4	1988	ACEPD - well located in the Copeland area
90	Wallace Emery, Sr.	-----	4011 NW 6th Street	07992-008-000	Potable	-----	DOH	AAE5294	-----	-----	-----	DOH - Vacant no power
91	John L. Cloyd	Symonette/Reginald	580 NW 41st Avenue	07996-001-000	Potable	-----	DOH	AAE5297	-----	-----	-----	DOH - Vacant lot, forested, well possibly still there but no house -AG 12/27/11
92	Harold Lee	-----	4007 NW 5th Street	07992-002-000	Potable	-----	DOH	AAE2628	-----	-----	-----	-----
93	Southern Irrigation and Maintenance	-----	Unable to determine	-----	Irrigation	TRC- Table 4.2	-----	-----	260	4	1986	-----
94	Mike Shea	-----	1115 NW 36th Place	Not found	-----	-----	DOH	AAO1647	-----	-----	-----	DOH - On City water permission denied
95	Rebstock Jr. and Taylor H/W	Henry	3840B NW 15th Street	07960-055-000	Irrigation	-----	DOH	AAE7385	-----	-----	-----	ACEPD - Tax parcel for 3840 NW 15th Street; DOH - house is using AAD7387
96	Rebstock Jr. and Taylor H/W	Henry	3840A NW 15th Street	07960-055-000	Potable	-----	DOH	AAE7387	-----	-----	-----	ACEPD - Tax parcel for 3840 NW 15th Street, not A or B
97	Lizza Sapp Heirs	Sapp	3825 NW 15th Street	07960-046-000	-----	-----	DOH	AAE7386	-----	-----	-----	DOH - Unable to obtain permission
98	Lap T. Bui	Gaston	3903 NW 14th Street	07960-042-000	-----	-----	DOH	AAE7380	-----	-----	-----	-----
99	Ellen Worley	-----	3903 NW 15th Street	07960-004-000	-----	-----	DOH	AAE7384	-----	-----	-----	-----
100	Ronald and Earline Warren	Lewis	1119 NW 40th Avenue	08086-000-000	-----	-----	DOH	AAE7388	-----	-----	-----	-----
101	Timothy C. and Jennifer Zedalis	-----	3924 NW 15th Street	07960-035-000	-----	-----	DOH	AAE7383	-----	-----	-----	DOH - Gated, left door notice
102	S.G. and Judith Summerlin	-----	4014 NW 15th Street	07960-025-000	-----	-----	DOH	AAE7382	-----	-----	-----	DOG - City water
103	Shirley Beaslie	Scarbino	1110 NW 40th Avenue	08068-000-000	-----	-----	DOH	AAE7389	-----	-----	-----	-----
104	H. L. Walker	-----	4003 NW 14th Street	07960-029-000	-----	-----	DOH	AAE7381	-----	-----	-----	DOH - City water
105	Harrington & Miller	-----	4027 NW 12th Terrace	08010-000-000	-----	-----	DOH	AAE6961	-----	-----	-----	-----
106	Michael R. Sauls	Ruder	4103 NW 12th Terrace	08146-000-000	-----	-----	DOH	AAE6962	-----	-----	-----	DOH - Gated, left door notice
107	Anderson and Michelle Hatfield	-----	4114 NW 13th Street	07960-010-000	-----	-----	DOH	AAE7321	-----	-----	-----	DOH - Owner refused sampling
108	Benjamin and Jeanne Beach	Steadman/Jeanne	4115 NW 12th Terrace	08145-000-000	-----	-----	DOH	AAE6963	-----	-----	-----	-----
109	Gunter H. Pawlik	-----	4114 NW 12th Terrace	08156-000-000	-----	-----	DOH	AAE6965	-----	-----	-----	-----
110	Renter	-----	4133 NW 12th Terrace	Not found	-----	-----	DOH	AAE6964	-----	-----	-----	-----
111	Thomas Life Estate	-----	4158 NW 6th Street	Not found	-----	-----	DOH	AAE5298	-----	-----	-----	-----
112	Georg Koszulinski	Petricka	4164 NW 12th Terrace	08147-000-000	-----	-----	DOH	AAE3272	-----	-----	-----	-----
113	Robert Demasi	Padgett	1119 NW 43rd Avenue	08109-001-000	-----	-----	DOH	AAE3269	-----	-----	-----	-----
114	Linda A. McCormick Life Estate	Linda McCormick	1121 NW 43rd Avenue	08110-000-000	-----	-----	DOH	AAN0109	-----	-----	-----	-----
115	Chris Bartley	-----	1209 NW 43rd Avenue	08110-001-000	-----	-----	DOH	AAN0133	-----	-----	-----	-----
116	Frank S. Beazlie Family Trust	Frank and Anetta Beazlie	4237 NW 13th Street	08111-001-000	-----	-----	DOH	AAM6953	-----	-----	-----	-----
117	Genevra Devries	-----	1106 NW 43rd Avenue	08105-000-000	-----	-----	DOH	AAE3270	-----	-----	-----	-----
118	Leila Blanton	-----	4320 NW 10th Street	08106-000-000	-----	-----	DOH	AAE3271	-----	-----	-----	-----
119	Welch & Zweig	Trucano	923 NW 44th Avenue	08130-000-000	-----	-----	DOH	AAE6917	-----	-----	-----	-----
120	Melissa Stacey	Langford	1201 NW 44th Avenue	08103-000-000	-----	-----	DOH	AAE7328	-----	-----	-----	-----
121	Martha Arroyo Gillette Life Estate	-----	4335 NW 12th Terrace	08103-001-000	-----	-----	DOH	AAN0110	-----	-----	-----	-----
122	Helen J. Martin	Martin	1117 NW 44th Avenue	08102-000-000	-----	-----	DOH	AAE7350	-----	-----	-----	-----
123	Church of God by Prophecy c/o G.C. Fogarty	Collins	909 NW 44th Avenue	08129-000-000	-----	-----	DOH	AAE3275	-----	-----	-----	-----

124	Deborah Sullivan Allen	-----	1105 NW 44th Avenue	08101-001-000	-----	-----	DOH	AAD7326	-----	-----	-----	-----
125	Kenneth McGurn		Unable to determine	-----	-----	TRC - Table 4.2	-----	-----	255	4	1986	
126	James M. Post	-----	1807 NW 10th Street	09356-006-000	-----	-----	ACEPD	-----	240	4	1998	ACEPD - well completion report obtained from SJRWMD files
127	Chowdhury & Hines Chicken, Inc.	Kentucky Fried Chicken	3750 NW 13th Street	07960-078-000	-----	-----	ACEPD	-----	60	4	2000	ACEPD - well completion report obtained from SJRWMD files; well abandoned 1/19/2000
128	Evergreen landscape (Garland)	-----	Unable to determine	-----	-----	-----	ACEPD	-----	-----	-----	-----	ACEPD - well completion report obtained from SJRWMD files; location T9SR20ESec32
129	Trunell Construction	-----	Unable to determine	-----	-----	-----	ACEPD	-----	-----	-----	-----	ACEPD - well completion report obtained from SJRWMD files; location T9SR20ESW1/4 of NE 1/4Sec30

*This Inventory was compiled by the Alachua County Environmental Protection Department (ACEPD) from information and inventories from the Alachua County Health Department, ACEPD and a Well Inventory compiled by TRC for Beazer East in a June 2004 Report

* This inventory may not include all known wells in the study area and is not intended to be a comprehensive inventory.

TRC Report : Report of Results Investigation of Private Wells, Cabot Koppers Superfund Site, Gainesville, Florida, Prepared by TRC for Beazer East, June 2004