From:	Martin, Jeff
To:	pearsonse@cityofgainesville.org; John Mousa
Cc:	murryfj@cityofgainesville.org
Subject:	FW: Beazer Stormwater Sampling and Analysis Plan
Date:	Thursday, June 23, 2011 10:12:14 AM
Attachments:	20110617 Letter SWSAP.pdf
	20110617 SWSAP.pdf
	20110617 WeirDrawings.pdf

Stu,

Attached is an update from Beazer's. The completion of construction is due by 3 months of permit issuance, and the survey is due with 4 months of permit issuance (Section VI of the permit). I will contact the consultant as it was my understanding that construction related requirements would be submitted sooner. Thanks,

Jeff

The Department of Environmental Protection values your feedback as a customer. DEP Secretary Herschel T. Vinyard Jr. is committed to continuously assessing and improving the level and quality of services provided to you. Please take a few minutes to comment on the quality of service you received. Simply click on <u>this link to the DEP Customer Survey</u>. Thank you in advance for completing the survey. **From:** Council, Greg [mailto:Greg.Council@tetratech.com] **Sent:** Friday, June 17, 2011 4:04 PM **To:** Martin, Jeff **Cc:** 'Miller.Scott@epamail.epa.gov'; Brourman, Mitch (Pittsburgh) NA; 'Angie Gatchie'; Warner, James; dthal@envstd.com; Hank Pappert; John Helton **Subject:** Beazer Stormwater Sampling and Analysis Plan

Hello Jeff,

We received the final stormwater permit (FLS711462) today.

On behalf of Beazer East, Inc., please find attached a cover letter, a stormwater sampling and analysis plan, and preliminary outfall weir drawings.

Per our conversation today, we are transmitting this to you as an electronic submittal in lieu of a hardcopy transmittal.

Please contact Mitchell Brourman or me if you have any questions.

Thanks, Greg

Gregory W. Council, PE | Principal Engineer

770.619.9950 Ext. 103 | Mobile: 404.310.8403 | Fax: 770.619.9903 Greg.Council@tetratech.com

Tetra Tech GEO 1165 Sanctuary Parkway | Suite 270 | Alpharetta GA 30009 | www.tetratechgeo.com

PLEASE NOTE: This message, including any attachments, may include privileged, confidential and/or inside information. Any distribution or use of this communication by anyone other than the intended recipient is strictly prohibited and may be unlawful. If you are not the intended recipient, please notify the sender by replying to this message and then delete it from your system.