

From: [Helton, Kelsey](#)
To: [Helton, Kelsey](#); ["Manu Sharma"](#); [Rusty Kestle](#); ["osteen.bill@epa.gov"](#); [Scott Miller](#); [John Mousa](#); [Richard E. Jackson](#); [Hutton, Richard H](#); [John Herbert](#); [Stanley Feenstra](#)
Cc: [Meghna Swamy](#); [Wayne Reiber](#); ["Mark A. Taylor"](#); [Chapman Ross](#); ["Carl Elder"](#); [Bernie Kueper](#)
Subject: RE: DEP Review- Cabot: Revised October 28, 2013 Dye Test Work Plan
Date: Saturday, November 30, 2013 7:20:35 PM
Attachments: [CabotCarbon5.pdf](#)

Thank you for the opportunity to review the revised Dye Test Work Plan. Please find review comments from Zoe Kulakowski, DEP-Office of District and Business Support, Division of Waste Management, dated November 18, 2013 for your consideration. We also request that historical Dissolved Oxygen and Eh data be provided for previous sampling events for HG-29S/D wells, if available.

Kelsey

Kelsey Helton
DEP-Waste Cleanup Program
Waste Site Cleanup Section
Tallahassee, FL
850-245-8969

From: Manu Sharma [<mailto:MSHARMA@gradientcorp.com>]
Sent: Tuesday, October 29, 2013 3:38 PM
To: Rusty Kestle; 'osteen.bill@epa.gov'; Scott Miller; Helton, Kelsey; John Mousa; Richard E. Jackson; Hutton, Richard H; John Herbert; Stanley Feenstra
Cc: Meghna Swamy; Wayne Reiber; 'Mark A. Taylor'; Chapman Ross; 'Carl Elder'; Bernie Kueper
Subject: Cabot: Dye Test Work Plan

All:

Attached is the updated draft of the dye test work that incorporates changes made in response to the discussion at the late September meeting. Please let me know if you have any questions.

Regards,

Manu

Manu Sharma, P.E. | Principal
617-395-5515 | msharma@gradientcorp.com

Gradient | 20 University Road | Cambridge, MA 02138 | 617-395-5000 | www.gradientcorp.com

This message contains information which may be confidential or privileged. Unless you are the addressee (or authorized to receive for the addressee), you may not use, copy, or disclose to anyone this message or any information contained in the message. If you have received this message in error, please advise the sender by reply e-mail, and delete all copies of this message and its attachment(s).